1993 Journal of Fluids Engineering Index
Index by Subject Matter to JFE, Vol. 115
Nos. 1-4, 1993

BLUFF-BODY FLOWS

Near-Wake Flow of a V-Gutter with Slit Bleed, Jing-Tang Yang and Go-Long Tsai, March, 13-20.

Drag Reduction of a Cylinder/Endwall Junction Using the Iceformation Method, R. S. LaFleur and L. S. Langston, March, 26-32.

The Flow Around Surface-Mounted, Prismatic Obstacles Placed in a Fully Developed Channel Flow, R. Martinuzzi and C. Tropea, March, 85-92.

Incompressible Fluid Flow Through Pipes Packed With Spheres at Low Dimension Ratios, R. M. Fand, M. Sundaram, and M. Varahasamy, March, 169-171.

Flow Behavior in Thin-Gapped Diamond-Shaped Channels With Pins, N. Ashgriz, J. P. Seet, and J. D. Felske, March, 175-177.

Vortex Shedding and Lock-On in a Perturbed Flow, Mary S. Hall and Owen M. Griffin, June, 283-291.

Simulation of the Nonreacting Flow in a Bluff-Body Burner: Effect of the Diameter Ratio, Luis-Filipe Martins and Ahmed F. Ghoniem, September, 474-484.

Pressure Measurements Around a Rotating Cylinder With and Without Crossflow, A. A. Tawfek, B. V. S. S. S. Prasad, and A. K. Mohanty, September, 526-528.

Turbulent Shear Flow and Heat Transfer Over the Repeated Two-Dimensional Square Ribs on Ground Plane, Shiki Okamoto, Shozo Seo, Kouichirou Nakaso, and Itsurou Kawal, December, 631-637.

BOUNDARY LAYER AND SHEAR FLOWS

Drag Reduction of a Cylinder/Endwall Junction Using the Iceformation Method, R. S. LaFluer and L. S. Langston, March, 26-32.

Parametrical Investigation of the Interaction Between Turbulent Wall Shear Layers and Normal Shock Waves, Including Separation, J. K. Kaldellis, March, 48-55.

Measurement and Calculation of Fluid Dynamic Characteristics of Rough-Wall Turbulent Boundary-Layer Flows, M. H. Hosni, H. W. Coleman, and R. P. Taylor, September, 383-388.

Influence of Vibration Amplitude on Laminar Flow Over a Plate Vibrating at Low Strouhal Number, N. K. Venkat and M. Spaulding, September, 411-419.

Improved Approximate Method for Simulating Frequency-Dependent Friction in Transient Laminar Flow, G. A. Schohl, September, 420-424.

Elgen-Functions of Linearized Unsteady Boundary Layer Equations, S. H. Lam and N. Rott, December, 597-602.

COMPUTATIONAL METHODS

Perspective: Systematic Study of Reynolds Stress Closure Models in the Computations of Plane Channel Flows, A. O. Demuren and S. Sarkar, March, 5-12.

Evaluation and Comparison of Bounding Techniques for Convection-Diffusion Problems, M. A. R. Sharif and A. A. Busnaina, March, 33-40.

Prediction of Turbulent Boundary Layers With a Second-Moment Closure: Part I—Effects of Periodic Pressure Gradient, Wall Transpiration, and Free-Stream Turbulence, N. Shima, March, 56-63.

Prediction of Turbulent Boundary Layers With a Second-Moment Closure: Part II—Effects of Streamline Curvature and Spanwise Rotation, N. Shima, March, 64-69.

Application of the k-ϵ Turbulence Model to the Simulation of a Fully Pulsed Free Air Jet, L. J. W. Graham and K. Bremhorst, March, 70-74.

Airfoil Shape Optimization Using Sensitivity Analysis on Viscous Flow Equations, Mohamed E. Eleshaky and Oktay Baysal, March, 75-84.

A Comparison of the Linear and Nonlinear k-ϵ Turbulence Models in Combustors, C. C. Hwang, Genxing Zhu, M. Massoudi, and J. M. Ekmann, March, 93-102.

An Inverse Inviscid Method for the Design of Quasi-Three-Dimensional Turbomachinery Cascades, E. Bonataki, P. Chaviaropoulos, and K. D. Papailiou, March, 121-127.

A Relative Examination of C_D-Re Relationships Used in Particle Trajectory Calculations, D. D. Kladas and D. P. Georgiou, March, 162-165.

A Numerical Study on the Generation Mechanism of Turbulence-Driven Secondary Flow in a Square Duct, Hyon Kook Myong, March, 172-174.

Streamwise Computation of Three-Dimensional Flows Using Two Stream Functions, M. S. Greywall, June, 233-238.

Comparison of Numerical and Experimental Results for a Turbulent Flow Field With a Longitudinal Vortex Pair, J. X. Zhu, M. Fiebig, and N. K. Mitra, June, 270-274.

Added Mass Coefficients for Submerged Bodies by a Low-Order Panel Method, I. Sahin, J. Crane, and K. Watson, September, 452-456.

Prediction of Three-Dimensional Steady Incompressible Flows Using Body-Fitted Coordinates, P. Tamamidis and D. N. Assanis, September, 457-462.

Direct Calculation of Sound Radiated from Bodies in Nonuniform Flows, H. M. Atassi, J. Fang, and S. Patrick, December, 573-579.

Segmented Domain Decomposition Multigrid Solutions for Two and Three-Dimensional Viscous Flows, Kumar Srinivasan and Stanley G. Rubin, December, 608-613.

Noniterative Solution for Pressure in Parabolic Flows, C. R. Truman, S. A. Shirazi, and F. G. Blottner, December, 627-630.

Numerical Simulations of Three-Dimensional Flows in a Cubic Cavity With an Oscillating Lid, Reima Iwatsu, Jae Min Hyun, and Kunio Kuwahara, December, 680-686.

Numerical Simulation of Laminar Flow in Yield-Power-Law Fluids in Conduits of Arbitrary Cross-Section, Idir Azouz, Siamack A. Shirazi, Ali Pilehvari, and J. J. Azar, December, 710-716.

A Pressure-Velolcity Solution Strategy for Compressible Flow and Its Application to Shock/Boundary-Layer Interaction Using Second-Moment Turbulence Closure, F.-S. Lien and M. A. Leschziner, December, 717-725.

Numerical Modeling of Waveguide Heated Microwave Plasmas, S. Venkateswaran, D. A. Schwer, and C. L. Merkle, December, 732-741.

FLOW CONTROL

Drag Reduction of a Cylinder/Endwall Junction Using the Iceformation Method, R. S. LaFleur and L. S. Langston, March, 26-32.

Frictional Drag Reduction by Injecting High-Viscosity Fluid Into Turbulent Boundary Layer, H. Kato, Y. Fujii, H. Yamaguchi, and M. Miyanaga, June, 206-212.

1993 Journal of Fluids Engineering Index
Index by Subject Matter to JFE, Vol. 115
Nos. 1-4, 1993

BLUFF-BODY FLOWS

Near-Wake Flow of a V-Gutter with Slit Bleed, Jing-Tang Yang and Go-Long Tsai, March, 13-20.

Drag Reduction of a Cylinder/Endwall Junction Using the Iceformation Method, R. S. LaFleur and L. S. Langston, March, 26-32.

The Flow Around Surface-Mounted, Prismatic Obstacles Placed in a Fully Developed Channel Flow, R. Martinuzzi and C. Tropea, March, 85-92.

Incompressible Fluid Flow Through Pipes Packed With Spheres at Low Dimension Ratios, R. M. Fand, M. Sundaram, and M. Varahasamy, March, 169-171.

Flow Behavior in Thin-Gapped Diamond-Shaped Channels With Pins, N. Ashgriz, J. P. Seet, and J. D. Felske, March, 175-177.

Vortex Shedding and Lock-On in a Perturbed Flow, Mary S. Hall and Owen M. Griffin, June, 283-291.

Simulation of the Nonreacting Flow in a Bluff-Body Burner: Effect of the Diameter Ratio, Luis-Filipe Martins and Ahmed F. Ghoniem, September, 474-484.

Pressure Measurements Around a Rotating Cylinder With and Without Crossflow, A. A. Tawfek, B. V. S. S. S. Prasad, and A. K. Mohanty, September, 526-528.

Turbulent Shear Flow and Heat Transfer Over the Repeated Two-Dimensional Square Ribs on Ground Plane, Shiki Okamoto, Shozo Seo, Kouichirou Nakaso, and Itsurou Kawal, December, 631-637.

BOUNDARY LAYER AND SHEAR FLOWS

Drag Reduction of a Cylinder/Endwall Junction Using the Iceformation Method, R. S. LaFluer and L. S. Langston, March, 26-32.

Parametrical Investigation of the Interaction Between Turbulent Wall Shear Layers and Normal Shock Waves, Including Separation, J. K. Kaldellis, March, 48-55.

Measurement and Calculation of Fluid Dynamic Characteristics of Rough-Wall Turbulent Boundary-Layer Flows, M. H. Hosni, H. W. Coleman, and R. P. Taylor, September, 383-388.

Influence of Vibration Amplitude on Laminar Flow Over a Plate Vibrating at Low Strouhal Number, N. K. Venkat and M. Spaulding, September, 411-419.

Improved Approximate Method for Simulating Frequency-Dependent Friction in Transient Laminar Flow, G. A. Schohl, September, 420-424.

Elgen-Functions of Linearized Unsteady Boundary Layer Equations, S. H. Lam and N. Rott, December, 597-602.

COMPUTATIONAL METHODS

Perspective: Systematic Study of Reynolds Stress Closure Models in the Computations of Plane Channel Flows, A. O. Demuren and S. Sarkar, March, 5-12.

Evaluation and Comparison of Bounding Techniques for Convection-Diffusion Problems, M. A. R. Sharif and A. A. Busnaina, March, 33-40.

Prediction of Turbulent Boundary Layers With a Second-Moment Closure: Part I—Effects of Periodic Pressure Gradient, Wall Transpiration, and Free-Stream Turbulence, N. Shima, March, 56-63.

Prediction of Turbulent Boundary Layers With a Second-Moment Closure: Part II—Effects of Streamline Curvature and Spanwise Rotation, N. Shima, March, 64-69.

Application of the k-ϵ Turbulence Model to the Simulation of a Fully Pulsed Free Air Jet, L. J. W. Graham and K. Bremhorst, March, 70-74.

Airfoil Shape Optimization Using Sensitivity Analysis on Viscous Flow Equations, Mohamed E. Eleshaky and Oktay Baysal, March, 75-84.

A Comparison of the Linear and Nonlinear k-ϵ Turbulence Models in Combustors, C. C. Hwang, Genxing Zhu, M. Massoudi, and J. M. Ekmann, March, 93-102.

An Inverse Inviscid Method for the Design of Quasi-Three-Dimensional Turbomachinery Cascades, E. Bonataki, P. Chaviaropoulos, and K. D. Papailiou, March, 121-127.

A Relative Examination of C_D-Re Relationships Used in Particle Trajectory Calculations, D. D. Kladas and D. P. Georgiou, March, 162-165.

A Numerical Study on the Generation Mechanism of Turbulence-Driven Secondary Flow in a Square Duct, Hyon Kook Myong, March, 172-174.

Streamwise Computation of Three-Dimensional Flows Using Two Stream Functions, M. S. Greywall, June, 233-238.

Comparison of Numerical and Experimental Results for a Turbulent Flow Field With a Longitudinal Vortex Pair, J. X. Zhu, M. Fiebig, and N. K. Mitra, June, 270-274.

Added Mass Coefficients for Submerged Bodies by a Low-Order Panel Method, I. Sahin, J. Crane, and K. Watson, September, 452-456.

Prediction of Three-Dimensional Steady Incompressible Flows Using Body-Fitted Coordinates, P. Tamamidis and D. N. Assanis, September, 457-462.

Direct Calculation of Sound Radiated from Bodies in Nonuniform Flows, H. M. Atassi, J. Fang, and S. Patrick, December, 573-579.

Segmented Domain Decomposition Multigrid Solutions for Two and Three-Dimensional Viscous Flows, Kumar Srinivasan and Stanley G. Rubin, December, 608-613.

Noniterative Solution for Pressure in Parabolic Flows, C. R. Truman, S. A. Shirazi, and F. G. Blottner, December, 627-630.

Numerical Simulations of Three-Dimensional Flows in a Cubic Cavity With an Oscillating Lid, Reima Iwatsu, Jae Min Hyun, and Kunio Kuwahara, December, 680-686.

Numerical Simulation of Laminar Flow in Yield-Power-Law Fluids in Conduits of Arbitrary Cross-Section, Idir Azouz, Siamack A. Shirazi, Ali Pilehvari, and J. J. Azar, December, 710-716.

A Pressure-Velolcity Solution Strategy for Compressible Flow and Its Application to Shock/Boundary-Layer Interaction Using Second-Moment Turbulence Closure, F.-S. Lien and M. A. Leschziner, December, 717-725.

Numerical Modeling of Waveguide Heated Microwave Plasmas, S. Venkateswaran, D. A. Schwer, and C. L. Merkle, December, 732-741.

FLOW CONTROL

Drag Reduction of a Cylinder/Endwall Junction Using the Iceformation Method, R. S. LaFleur and L. S. Langston, March, 26-32.

Frictional Drag Reduction by Injecting High-Viscosity Fluid Into Turbulent Boundary Layer, H. Kato, Y. Fujii, H. Yamaguchi, and M. Miyanaga, June, 206-212.

The Combined Drag Effects of Riblets and Polymers in Pipe Flow, G. W. Anderson, J. J. Rohr, and S. D. Stanley, June, 213–221.
Drag Characteristics of Extra-Thin-Fin-Riblets in an Air Flow Conduit, Z. Y. Wang and J. Jovanovic, June, 222–226.
Effects of a Large Eddy Breakup Device on the Fluctuating Wall Pressure Field, W. L. Keith and J. J. Barclay, September, 389–397.
Propeller Tip Vortex Cavitation Suppression Using Selective Polymer Injection, G. L. Chahine, G. F. Frederick, and F. D. Bateman, September, 497–503.
Perspective—Aerodynamic Control of Combustion, A. K. Oppenheim, December, 561–567.

FLOW MEASUREMENTS
LDV Measurements of Periodic Fully Developed Main and Secondary Flows in a Channel With Rib-Disturbed Walls, T.-M. Liou, Y.-Y. Wau, and Y. Chang, March, 109–114.
The Accuracy of a Three-Component Laser Doppler Velocimeter System Using a Single-Lens Approach, P.-A. Chevrin, H. L. Petrie, and S. Deutsch, March, 142–147.
A Simple and Accurate Method of Calibrating X-Probes, J. John and T. Schobeiri, March, 148–152.
Comparison of Numerical and Experimental Results for a Turbulent Flow Field With a Longitudinal Vortex Pair, J. X. Zhu, M. Fiebig, and N. K. Mitra, June, 270–274.
Flow Measurement in a Model Burner—Part 2, D. F. G. Durão, M. V. Heitor, and A. L. N. Moreira, June, 309–316.
A Comparison of Four Velocity Bias Correction Techniques in Laser Doppler Velocimetry, R. D. Gould and K. W. Loseke, September, 508–514.
Holographic Visualization of Convective Flow Around a Heated Rotating Cone of Finite Length, S. M. Tieng and Y. C. Wang, September, 515–522.
Analysis of an Electromagnetic Boundary Layer Probe for Low Magnetic Reynolds Number Flows, L. S. Langston and R. G. Kasper, December, 726–731.

FLOW THROUGH POROUS MEDIA
Unsteady Flow of a Power-Law Dusty Fluid With Suction, Ali J. Chamkha, June, 330–333.
A Note on Laminar Flow in Uniformly Porous Tubes, K. Schnitzlein, September, 493–496.

FLUID MACHINERY
An Inverse Inviscid Method for the Design of Quasi-Three-Dimensional Turbomachinery Cascades, E. Bonataki, P. Chaviaropoulis, and K. D. Papailiou, March, 121–127.
An Investigation of Nucleating Flows of Steam in a Cascade of Turbine Blading, F. Bakhtar, R. A. Webb, M. H. Shojaee-Fard, and M. A. Siraj, March, 128–134.
A Theoretical Analysis of Rotating Cavitation in Inducers, Y. Tsujimoto, K. Kamijo, and Y. Yoshida, March, 135–141.
Probabilistic Simulation of Fragment Dynamics and Their Surface Impacts in the SSME Turbopump, A. Hamed and H. Moy, June, 302–308.
Interpretation of Impeller Flow Calculations, J. Tuzson, September, 463–467.
Tilt Rotor Broadband Hover Aeroacoustics, C. D. Coffen and A. R. George, December, 568–572.
Flow Field in the Secondary, Seal-Containing Passages of Centrifugal Pumps, E. A. Baskharone and S. J. Hensel, December, 702–709.
Three-Dimensional Calculation of Air-Water Two-Phase Flow in Centrifugal Pump Impeller Based on a Bubble Flow Model, Kiyoshi Minemura and Tomomi Uchiyama, December, 766–771.
Prediction of Pump Performance Under Air-Water Two-Phase Flow Based on a Bubbly Flow Model, December, 781–783.

FLUID-STRUCTURE INTERACTIONS
Analysis of Flow Induced Vibration Using the Vorticity Transport Equation, Jure Marn and Ivan Catton, September, 485–492.
The Interaction of Coherent Vortices With Short Flat Plates, J. Swirydczuk, M. C. Wilder, and D. P. Telionis, December, 590–596.

GENERAL TOPICS
On the Main Flow Pattern in Hydrocyclones, C. C. Hwang, H. Q. Shen, G. Zhu, and M. M. Khonsari, March, 21–25.
Evaluation and Comparison of Bounding Techniques for Convection-Diffusion Problems, M. A. R. Sharif and A. A. Busnaina, March, 33–40.
Airfoil Shape Optimization Using Sensitivity Analysis on Viscous Flow Equations, Mohamed E. Eleshaky and Oktay Baysal, March, 75–84.
Real Gas Effects for Compressible Nozzle Flows, D. Drikakis and S. Tsangaris, March, 115–120.
A New Approach to the Dynamic Parameter Estimation of a Viscoelastic System, S. Bennis, March, 153–161.
A Relative Examination of C_D-Re Relationships Used in Particle Trajectory Calculations, D. D. Kladas and D. P. Georgiou, March, 162–165.
A Unifying Method for Sizing Throttling Valves Under Laminar or Transitional Flow Conditions, H. D. Baumann, March, 166–168.
Use of Subdomains for Inverse Problems in Branching Flow Passage, Ajay K. Agrawal, S. Krishnan, and Tah-teh Yang, June, 227–232.
Prediction of Pressure Drop for Incompressible Flow Through Screens, E. Brundrett, June, 239–242.
Partial Cavities: Global Behavior and Mean Pressure Distribution, Q. Le, J. P. Franc, and J. M. Michel, June, 243–248.
Partial Cavities: Pressure Pulse Distribution Around Cavity Closure, Q. Le, J. P. Franc, and J. M. Michel, June, 249–254.
The Flow Structure and Statistics of a Passive Mixing Tab, W. J. Gretta and C. R. Smith, June, 255–263.
Correlation of Adiabatic Two-Phase Pressure Drop Data Using the Frictional Law of Corresponding States, N. T. Obot, M. W. Wambsganss, D. M. France, and J. A. Jendrzejczyk, June, 317–323.
Transient Interface Shape of a Two-Layer Liquid in an Abruptly Rotating Cylinder, Tae Gyu Lim, Sangmin Chol, and Jae Min Hyun, June, 324–329.
Relaxation of the Turbulent Boundary Layer After an Abrupt Change from Rough to Smooth Wall, R. P. Taylor, J. K. Taylor, M. H. Hosni, and H. W. Coleman, September, 379–382.
Ventilated Flow in the Unobstructed Space Between Corotating Disks in a Cylindrical Enclosure, D. Gor, J. A. C. Humphrey, and R. Greif, September, 398–407.
On the Flow Structure Due to Corotating Disks With a Ventilated Hub, John Girard and Scott Abrahamson, September, 408–410.
Perspective: Unsteady Wing Theory—The Kármán/Sears Legacy, J. E. McCune and T. S. Tavares, December, 548–560.
Direct Calculation of Sound Radiated From Bodies in Nonuniform Flows, H. M. Atassi, J. Fang, and S. Patrick, December, 573–579.
Response of a Thin Airfoil Encountering a Strong Density Discontinuity, F. E. Marble, December, 580–589.
The Interaction of Coherent Vortices With Short Flat Plates, J. Swirydczuk, M. C. Wilder, and D. P. Telionis, December, 590–596.
The Rayleigh Problem for the Interior of a Torus, W. J. Rae and C. J. Ollila, December, 603–607.

On the Compressible Flow Through an Orifice, W. B. Brower, Jr., E. Eisler, E. J. Filkorn, J. Gonenc, C. Plati, and J. Stagnitti, December, 660–664.

Correcting for Response Lag in Unsteady Pressure Measurements in Water, Rand N. Conger and B. R. Ramparian, December, 676–679.

Computation of Flow Fields Induced by Water Spraying of an Unconfined Gaseous Plume, V. M. Fthenakis, K. W. Schatz, U. S. Rohatgi, and V. Zakkay, December, 742–750.

JET FLOWS

Application of the k-ϵ Turbulence Model to the Simulation of a Fully Pulsed Free Air Jet, L. J. W. Graham and K. Bremhorst, March, 70–74.

A Study on the Noise Generation Mechanism in a Circular Air Jet, S. K. Tang and N. W. M. Ko, September, 425–435.

Mean Streamwise Velocity Measurements in a Triple Jet of Equilateral Triangular Configuration, G. H. Maustafa, T. Sundararahabm and E. Rathakrishnan, September, 534–536.

Large Amplitude Wall Pressure Events Beneath a Turbulent Boundary Layer, C. C. Karangelen, V. Wilczynski, and M. J. Casarella, December, 653–659.

MULTIPHASE BUBBLY FLOWS

Hydraulic Forces Acting on a Circular Cylinder With Surface Source of Minute Air Bubbles and Its Cavitation Characteristics, A. Ihara, Hideo Watanabe, and Hiroyuki Hashimoto, June, 275–282.

Propeller Tip Vortex Cavitation Suppression Using Selective Polymer Injection, G. L. Chahine, G. F. Frederick, and R. D. Bateman, September, 497–503.

Study of Nuclei Distribution and Vortex Diffusion Influence on Nuclei Capture by a Tip Vortex and Nuclei Capture Noise, P. Ligneul and R. Latorre, September, 504–507.

Numerical Versus Experimental Cavitation Tunnel (A Supercavitating Hydrofoil Experiment), S. A. Kinnas and C. H. Mazel, December, 760–765.

Three-Dimensional Calculation of Air-Water Two-Phase Flow in Centrifugal Pump Impeller Based on a Bubbly Flow Model, Kiyoshi Minemura and Tomomi Uchiyama, December, 766–771.

Mach Number Scaling of Single-Component, Two-Phase Flow, D. E. Nikitopoulos, December, 772–777

Prediction of Pump Performance Under Air-Water Two-Phase Flow Based on a Bubbly Flow Model, Kiyoshi Minemura and Tomomi Uchiyama, December, 781–783.

MULTIPHASE PARTICLE FLOW

An Investigation of Nucleating Flows of Steam in a Cascade of Turbine Blading, F. Bakhtar, R. A. Webb, M. H. Shojaee-Fard, and M. A. Siraj, March, 128–134.

A Theoretical Analysis of Rotating Cavitation in Inducers, Y. Tsujimoto, K. Kamijo, and Y. Yoshida, March, 135–141.

"Heavy" Particle Dispersion Measurements With Mono- and Polydisperse Particle Size Distributions, J. R. Ferguson and D. E. Stock, September, 523–525.

Acoustic Properties of Solid-Liquid Mixtures and the Limits of Ultrasound Diagnostics—I: Experiments, C. M. Atkinson and H. K. Kytömaa, December, 665–675.

Effect of Particle Residence Time on Particle Dispersion in a Plane Mixing Layer, Tsuneaki Ishima, Koichi Hishida, and Masanobu Maeda, December, 751–759.

PIPE, DUCT, CHANNEL FLOWS

Perspective: Systematic Study of Reynolds Stress Closure Models in the Computations of Plane Channel Flows, A. O. Demuren and S. Sarkar, March, 5–12.

Hydraulic Characteristics of Mixed Convection in a Heated Vertical Pipe, Jian-Chiu Han, March, 41–47.

The Flow Around Surface-Mounted, Prismatic Obstacles Placed in a Fully Developed Channel Flow, R. Martinuzzi and C. Tropea, March, 85–92.

LDV Measurements of Periodic Fully Developed Main and Secondary Flows in a Channel With Rib-Disturbed Walls, T.-M. Liou, Y.-Y. Wu, and Y. Chang, March, 109–114.

Real Gas Effects for Compressible Nozzle Flows, D. Drikakis and S. Tsangaris, March, 115–120.

Incompressible Fluid Flow Through Pipes Packed With Spheres at Low Dimension Ratios, R. M. Fand, M. Sundaram and M. Varahasamy, March, 169–171.

A Numerical Study on the Generation Mechanism of Turbulence-Driven Secondary Flow in a Square Duct, Hyon Kook Myong, March, 172–174.

Flow Behavior in Thin-Gapped Diamond-Shaped Channels With Pins, N. Ashgriz, J. P. Seet, and J. D. Felski, March, 175–177.

The Torsion Effect on Fully Developed Laminar Flow in Helical Square Ducts, Wen-Hwa Chen and Ray Jen, June, 292–301.

Unsteady Flow in the Obstructed Space Between Disks Corotating in a Cylinder Enclosure, W. R. Usry, J. A. C. Humphrey, and R. Greif, December, 620–626.

Turbulent Flow in Two-Inlet Channels, Hsiao C. Kao, December, 638–645.

Prediction of Turbulent Flows in Rotating Rectangular Ducts, B. A. Younis, December, 646–652.

Study of Laminar, Unsteady Piston-Cylinder Flows, H. Ströll, F. Durst, M. Perić, J. C. F. Pereira, and G. Scheuerer, December, 687–693.

Effect of IC Engine Operating Conditions on Combustion and Emission Characteristics, Jiang Lu, Ashwani K. Gupta, and Eugene L. Keating, December, 694–701.

Numerical Simulation of Laminar Flow of Yield-Power-Law Fluids in Conduits of Arbitrary Cross-Section, Idir Azouz, Siamack A. Shirazi, Ali Pilehavari, and J. J. Azar, December, 710–716.

SEPARATION

Near-Wake Flow of a V-Gutter With Slit Bleed, Jing-Tang Yang and Go-Long Tsai, March, 13–20.

Drag Reduction of a Cylinder-Endwall Junction Using the Iceformation Method, R. S. LaFleur and L. S. Langston, March, 26–32.

Parametrical Investigation of the Interaction Between Turbulent Wall Shear Layers and Normal Shock Waves, Including Separation, J. K. Kaldellis, March, 48–55.

Vortex Shedding and Lock-On in a Perturbed Flow, Mary S. Hall and Owen M. Griffin, June, 283–291.

STABILITY AND TRANSITION

A Unifying Method for Sizing Throttling Valves Under Laminar or Transitional Flow Conditions, H. D. Baumann, March, 166–168.

Experimental Observations of Flow Instability in a Helical Coil, D. R. Webster and J. A. C. Humphrey, September, 436–443.

Capillary Instability of a Jet of Liquid Metal, David B. Wallace, September, 529–531.

TURBULENT FLOWS

Perspective: Systematic Study of Reynolds Stress Closure Models in the Computations of Plane Channel Flows, A. O. Demuren and S. Sarkar, March, 5–12.

Parametrical Investigation of the Interaction Between Turbulent Wall Shear Layers and Normal Shock Waves, Including Separation, J. K. Kaldellis, March, 48–55.

Prediction of Turbulent Boundary Layers With a Second-Moment Closure: Part I—Effects of Periodic Pressure Gradient, Wall Transpiration, and Free-Stream Turbulence, N. Shima, March, 56–63.

Prediction of Turbulent Boundary Layers With a Second-Moment Closure: Part II—Effects of Streamline Curvature and Spanwise Rotation, N. Shima, March, 64–69.

Application of the k-ϵ Turbulence Model to the Simulation of a Fully Pulsed Free Air Jet, L. J. W. Graham and K. Bremhorst, March, 70–74.

A Comparison of the Linear and Nonlinear k-ϵ Turbulence Models in Combustors, C. C. Hwang, Genxing Zhu, M. Massoudi, and J. M. Eckmann, March, 93–102.

One-Equation Near-Wall Turbulence Modeling With the Aid of Direct Simulation Data, W. Rodi, N. N. Mansour, and V. Michelassi, June,196–205.

Frictional Drag Reduction by Injecting High-Viscosity Fluid Into Turbulent Boundary Layer, H. Kato, Y. Fujii, H. Yamaguchi, and M. Miyanaga, June, 206–212.

Film-Thickness, Pressure-Gradient, and Turbulent Velocity Profiles in Annular Dispersed Flows, A. N. Skouloudis and J. Würtz, June, 264–269.

Comparison of Numerical and Experimental Results for a Turbulent Flow Field With a Longitudinal Vortex Pair, J. X. Zhu, M. Fiebig, and N. K. Mitra, June, 270–274.

Measurement and Calculation of Fluid Dynamic Characteristics of Rough-Wall Turbulent Boundary-Layer Flows, M. H. Hosni, H. W. Coleman, and R. P. Taylor, September, 383–388.

Turbulent Swirling Flow in Short Cylindrical Chambers, A. Riahi and P. G. Hill, September, 444–451.

Turbulent Flows in a Model SDR Combustor, T.-M. Liou and Y.-Y. Wu, September, 468–473.

Analytic Expression for the Universal Logarithmic Velocity Law, A. Yakhot, V. D. Khait, and S. A. Orszag, September, 532–533.

An Integral Method for Turbulent Boundary Layers on Rotating Disks, A. Abrahamson and S. Lonnes, December, 614–619.

Turbulent Shear Flow and Heat Transfer Over the Repeated Two-Dimensional Square Ribs on Ground Plane, Shiki Okamoto, Shozo Seo, Kouichirou Nakaso, and Itsurou Kawal, December, 631–637.

Turbulent Flow in Two-Inlet Channels, Hsiao C. Kao, December, 638–645.

Prediction of Turbulent Flows in Rotating Rectangular Ducts, B. A. Younis, December, 646–652.

Large Amplitude Wall Pressure Events Beneath a Turbulent Boundary Layer, C. C. Karangelen, V. Wilczynski, and M. J. Casarella, December, 653–659.

A Pressure-Velocity Solution Strategy for Compressible Flow and Its Application to Shock/Boundary-Layer Interaction Using Second-Moment Turbulence Closure, F.-S. Lien and M. A. Leschziner, December, 717–725.